



# ASSESSMENT

Contact person  
**Bengt-Åke Andersson**  
Sustainable Built Environment  
+46 10 516 54 34  
bengt-ake.andersson@sp.se

Date	Reference	Page
2015-10-12	5F017627E Rev1	1 (1)
Rev.date		
2015-10-13		

Hepro AS  
Øvermoan 9  
8250 ROGNAN  
NORWAY

## Statement regarding work chairs according to EN 1335-1, -2, -3

**Customer:** Hepro AS

**Object:** Work chair

**Object ID:** Basic

**Assessment according to:** EN 1335-1:2000 Office furniture - Office work chair - Part 1: Determination of dimensions  
EN 1335-2:2009 Office furniture - Office work chair - Part 2: Safety requirements  
EN 1335-3:2009 Office furniture - Office work chair - Part 3: Test methods

**Assessment based on:** SP Report 5F017627A Rev1, dated 2015-10-09  
SP Report 5F017627D Rev1, dated 2015-10-12

**Assessment:** Basic is assessed to meet the requirement for strength and safety according to EN 1335-2, -3:2009 and also meet all the relevant dimensions on a work chair for disabled persons according to EN 1335-1:2000

**Reservation:** Design, material qualities, dimensions and other characteristics, which may affect the test results, must be identical to the tested objects

### SP Technical Research Institute of Sweden Sustainable Built Environment - Wood Technological Assessment

Performed by

Examined by

Bengt-Åke Andersson

Stefan Lindskog

---

#### SP Technical Research Institute of Sweden

Postal address  
SP  
Box 857  
SE-501 15 BORÅS  
Sweden

Office location  
Västeråsen  
Brinellgatan 4  
SE-504 62 BORÅS

Phone / Fax / E-mail  
+46 10 516 50 00  
+46 33 13 55 02  
info@sp.se

This document may not be reproduced other than in full, except with the prior written approval of SP.